

60.07. Drive-Up Window Facilities. [ORD 4224; August 2002]

60.07.05 Purpose. Drive-up window facilities shall be designed to provide safe, convenient and efficient traffic flow.

60.07.10 Standards. The decision making authority shall review proposed drive-up window facilities to determine that the following standards are addressed in the design:

1. Drive-through uses shall be located so that access and egress to the drive-through features are from an on-site drive aisle or other on-site circulation facility, not a public street. [ORD 4332; November 2004]
2. Restaurants providing drive-up window service shall have sufficient parking and seating to accommodate anticipated customer volume.
3. Restaurants providing drive-up window service shall provide at least two (2) designated parking spaces immediately beyond the service window, or provide other satisfactory methods, to allow customers requiring excessive waiting time to receive their food while parked.
4. Financial and other commercial establishments providing drive-up window facilities which do not provide for walk-in customer service (i.e., not allowing transactions within the structure) shall provide for safe, convenient and readily accessible exterior walk-up window service, such as an automatic teller machine, at any time during regular business hours. Additionally, at a minimum, two parking spaces shall be provided allowing convenient access to the walk-up service window.
5. The design of the stacking area shall allow customers' vehicles to leave the stacking line for emergency reasons.
6. On-site parking for walk-in customers shall be designed to be readily accessible to all public entrances to the building and to provide safe, convenient access.
7. Establishments having drive-up window facilities shall have sufficient stacking area to insure that public rights-of-way and shared access driveways are not obstructed.
8. Communication's sound system shall not exceed a measurement of 55 decibels at the adjoining property line.

SPECIAL REQUIREMENTS

Drive-Up Window Facilities

- 60.07.15. Abatement.** Drive-up window facilities shall be a public nuisance to be abated pursuant to 5.05.115A of the Municipal Code, or its successors, if the traffic at the facility causes obstruction or interference with the right-of-way or flow of pedestrian or vehicular traffic as described in Section 5.05.115A of the Municipal Code. Abatement methods may include summary abatement, closure or redesign of the drive up-window facility. The Beaverton Police shall have the authority to issue citations to drivers of motor vehicles obstructing the public right-of-way or interfering with traffic flow. (ORD 3218; July 1981)

